

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	278	power adj2 window\$2.ab.	USP AT	2007/08/ 13 16:40	
2	BRS	L2	1040 56	(jam\$4 or obstruct\$4 or object\$2 or obstacle\$2).ab.	USP AT	2007/08/ 13 16:40	
3	BRS	L3	50	1 and 2	USP AT	2007/08/ 13 16:40	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	15798	(jam\$4 or obstacle or obstruction or malfunction\$4).ab.	USP AT	2007/08/13 16:37	
2	BRS	L2	33396	window.ab.	USP AT	2007/08/13 16:37	
3	BRS	L3	716	proximity adj2 sensor.ab.	USP AT	2007/08/13 16:38	
4	BRS	L4	0	1 and 2 and 3	USP AT	2007/08/13 16:37	
5	BRS	L5	8567	proximity adj2 sensor	USP AT	2007/08/13 16:38	
6	BRS	L6	1	1 and 2 and 5	USP AT	2007/08/13 16:38	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	1564	proximity adj2 (sens\$4 or detect\$4).ab.	USP AT	2007/08/ 13 16:34	
2	BRS	L2	7929 1	charg\$4.ab.	USP AT	2007/08/ 13 16:34	
3	BRS	L3	9025 0	capacit\$5.ab.	USP AT	2007/08/ 13 16:34	
4	BRS	L4	3339 6	window.ab.	USP AT	2007/08/ 13 16:34	
5	BRS	L5	0	1 and 2 and 3 and 4	USP AT	2007/08/ 13 16:34	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	1044	proximity adj3 (sensor or detector).ab.	USP AT	2007/08/ 13 11:27	
2	BRS	L2	4934 1	(capacitance or capacitor).ab.	USP AT	2007/08/ 13 11:28	
3	BRS	L3	2790 68	window	USP AT	2007/08/ 13 11:28	
4	BRS	L4	1252 47	pinch or obstacle or obstruction	USP AT	2007/08/ 13 11:29	
5	BRS	L5	1200 53	switch\$2.ab.	USP AT	2007/08/ 13 11:29	
6	BRS	L6	4508 4	integrator	USP AT	2007/08/ 13 11:29	
7	BRS	L7	0	1 and 2 and 3 and 4 and 5 and 6	USP AT	2007/08/ 13 11:29	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	3878 2	window\$2.ab.	USP AT	2007/08/ 13 11:31	
2	BRS	L2	8396 7	(capacitance or capacitor or capacity).ab.	USP AT	2007/08/ 13 11:31	
3	BRS	L3	3621 30	(sens\$4 or detect\$4).ab.	USP AT	2007/08/ 13 11:31	
4	BRS	L4	1200 53	switch\$2.ab.	USP AT	2007/08/ 13 11:32	
5	BRS	L5	19	1 and 2 and 3 and 4	USP AT	2007/08/ 13 11:32	